



CANDLELIGHT LTD.

REVISION #2: AUGUST 8, 2012**SECTION 1: PRODUCT AND COMPANY IDENTIFICATION**

Product name: Unscented candles; votives, spheres, pillars, floaters, tapers, tealights, jars
Product codes: See page 5 for listing of unscented candle item numbers
Manufacturer: Neo-Image Candlelight Limited
Address: 1331 Blundell Road, Mississauga, Ontario, Canada L4Y 1M6
Phone: (905) 273-3020

IN CASE OF EMERGENCY

Neo-Image phone: (905) 273-3020 (8 am - 5 pm)
CANUTEC phone: (613) 996-6666 (24 hours)
Poison control center: Consult local telephone directory for emergency number

Chemical name: Not Applicable
Chemical family: Petroleum Hydrocarbon
Chemical formula: See section 2

Product use: Illuminant, home décor, emergency lighting
Prepared by: Neo-Image Quality Assurance Department

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT	CAS#	%WT
Paraffin Wax	8002-74-2	60-100
Palm Wax	8002-75-3	15-40
Alkenes, C>10 a-, polymerized	68527-08-2	0-1.5
Colour	N/A	0-2
Varnish	N/A	0-0.5

SECTION 3: HAZARDS IDENTIFICATION

Emergency overview: Products are solid at ambient conditions and are expected to be non-hazardous
Routes of entry: Dermal and eye contact

POTENTIAL ACUTE HEALTH HAZARDS

Eyes: Mildly irritating to eyes.
Skin: Not expected to cause irritation
Inhalation: Not significant route of entry.
Ingestion: Not a significant route of entry however material is considered non-toxic and not expected to be harmful if swallowed

POTENTIAL CHRONIC HEALTH HAZARDS

None known

ADDITIONAL REMARKS

SECTION 4: FIRST AID MEASURES

- Eye contact:** Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical assistance.
- Skin contact:** Wash with soap and water. If skin irritation occurs seek medical assistance
- Inhalation:** Remove individual to fresh air. If breathing is irregular or stopped call for medical assistance immediately.
- Ingestion:** Material is not acutely toxic by ingestion. If material is ingested, do not induce vomiting. Consult a medical professional.

ADDITIONAL REMARKS

For contact on skin with molten product immediately apply cold water for 15 minutes. Do not attempt to remove any material attached to the skin including clothing. Seek medical attention immediately. Eye contact with fumes can cause irritation and eye contact with molten product can cause thermal burns. Flush eyes with cold water for at least 15 minutes and seek medical attention immediately. If fumes are inhaled from molten material remove individual to a well ventilated area and contact medical assistance if respiratory symptoms persist.

SECTION 5: FIRE-FIGHTING MEASURES

- Flammable limits in air (% by volume):** upper: 7.0 lower: 0.9
- Flash point:** >175°C (>347°F)
- Method used:** Cleveland Open Cup
- Auto-ignition temperature:** Not established

Hazard classification:

	HEALTH	FLAMMABILITY	PHYSICAL HAZARD
HMIS	0	1	0
NFPA	0	1	0

- Extinguishing media:** Use water fog, foam, dry chemical or CO₂ extinguisher. Do not use direct water stream.
- Special fire fighting procedures:** Material must be heated before ignition will occur. Use water to keep product cool.
- Unusual fire and explosion hazards:** None known
- Hazardous combustion products:** CO, CO₂

SECTION 6: ACCIDENTAL RELEASE MEASURES

- Personal precautions:** Consult Hazards Identification in Section 3, Exposure Control/Personal Protection information in Section 8, Flammability in Section 5 and Stability and Reactivity information in Section 10. Eliminate any sources of ignition
- Environmental precautions:** Avoid dispersal of released material to soil, waterways, drains and sewers.
- Clean up:** Product at ambient conditions can be handled with appropriate personal precautions. Scoop up spilled materials and place in an appropriate container for disposal according to local, provincial/state and federal regulations. Molten material should be diked or impounded and allowed to cool before handling and federal regulations.

SECTION 7: HANDLING AND STORAGE

Store product upright in a cool dry place, above 0°Cv, away from sources of ignition.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering controls:** Not established.
- Ventilation:** No special requirements necessary during normal use of product.
- Respiratory protection:** Respiratory protection is not necessary during normal use of product.

Eye protection: Eye protection is not necessary during normal use of product.
Skin protection: Skin protection is not necessary during normal use of product.
Work hygienic practices: Wash hands with soap and water after handling product and before eating, smoking and using the lavatory.

EXPOSURE GUIDELINES

OSHA STATUS: Non-hazardous substance
ACGIH TLV-TWA: 2 mg/m³ (8-hour) for wax fumes
ACGIH TLV STEL: Not established
ACGIH TLV CEILING: Not established

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Various shapes, sizes and colours
Odour: Mild hydrocarbon odour
Physical state: Solid at ambient conditions
pH as supplied: Not applicable
Boiling point: >300°C
Melting point: 54-60°C (129-140°F)
Freezing point: Not applicable
Vapour pressure (mm Hg): Not applicable
Vapour density (air=1): Not applicable
Specific gravity (H₂O = 1): 0.90-0.93 @25°C
Solubility in water: Negligible
Viscosity: Not established

SECTION 10: STABILITY AND PHYSICAL HAZARD

Stability: Product is stable
Conditions of instability: None known
Incompatibility with various substances: Reactive with oxidizing agents, avoid sources of ignition
Hazardous decomposition or by-products: May release CO, CO₂, smoke and irritating vapours when heated to decomposition
Hazardous polymerization: Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

TEST	RESULT	ROUTE	SPECIES
LD ₅₀	≤5000 mg/Kg	Oral	Rat
LC ₅₀	Not available		

SPECIFIC EFFECTS

Carcinogenic effects: Not listed as a carcinogen by OSHA
Mutagenic effects: Not established
Teratogenicity/reproductive toxic- Not established

SECTION 12: ECOLOGICAL INFORMATION

Environmental precautions: No known significant effects or critical hazards.
Biogradability: Not established

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal of this product should comply with all local, provincial/state and federal regulations.

SECTION 14: TRANSPORT INFORMATION

DOT: Not regulated
IATA: Not regulated
IMDG: Not regulated
TDG: Not regulated

SECTION 15: REGULATORY INFORMATION

CANADIAN FEDERAL REGULATIONS

WHMIS: Not Controlled under WHMIS

DSL: Listed

U.S. FEDERAL REGULATIONS

OSHA hazardous chemicals: None according to 29 CFR 1910.1200

TSCA inventory listing: The materials used in this product appear on or are exempted from listing on the US Toxic Substances Control Act inventory

CERCLA reportable quantity: This material is not reportable under 40 CFR Part 302.4

SARA 311/312 hazard categories: Not applicable

SARA 313 reportable ingredients: None

EUROPEAN UNION REGULATIONS

Classification according to directive 67/548/EEC: Xn: Harmful
R65: Harmful, may cause lung damage if swallowed
EC inventory (EINECS): Listed

INTERNATIONAL REGULATIONS

Australian inventory (AICS): Listed

China inventory (IECS): Listed

Japan inventory (ENCS): Listed

Korea inventory (ECL): Listed

Philippine inventory (PICCS): Listed

SECTION 16: OTHER INFORMATION

FIRE SAFETY LABELING INFORMATION

Warning: Burn within sight. Keep away from things that catch fire. Keep away from children. Do not place foreign materials into or on candle or flame. Do not move candle while burning. Smother flames only.

Instructions: Remove and discard all wrappings and labels before lighting. Trim wick to 1/4 inch before lighting. Only burn candles on a heat-resistant surface. Use an appropriate container, holder or plate when burning candles.

Although Neo-Image Candlelight Ltd makes every reasonable effort to ensure the accurate presentation of MSDS data provided by sources we believe reliable, it is understood that Neo-Image Candlelight Ltd makes no warranty as to the accuracy or completeness of such information and assumes no liability for any damages or loss suffered as a result of any inaccuracy or incompleteness therein. Further it is the user's obligation to utilize this product in full compliance with all health, safety and environmental regulations.

ITEM NUMBER	DESCRIPTION	ITEM NUMBER	DESCRIPTION
00025	Unscented Church Candles	41099	Unscented Coloured Manors
00050	Unscented Tealights	41100-41101	Unscented Coloured Pillars
00100	Unscented Tealights	41299	Unscented Coloured Tapers
00250-00251	Unscented Church Candles	41599	Unscented Coloured Tapers
01020	Unscented Tealights	41879	Unscented Tapers
01030	Unscented Tealights	41899	Unscented Tapers
01051	Unscented Tealights	44000-44001	Unscented Coloured Pillars
01056-01057	Unscented Tealights	44031-44032	Unscented Coloured Pillars
01380-01435	Unscented Coloured Pillars	45000-45002	Unscented Coloured Manors
01436-01443	Unscented Coloured Votives	45099	Unscented Coloured Manors
01444-01451	Unscented Coloured Vessels	46000-46001	Unscented Coloured Pillars
01497-01511	Unscented Sheen Finished Coloured Pillars	47000-47001	Unscented Coloured Pillars
01512-01516	Unscented Sheen Finished Coloured Spheres	48000-48002	Unscented Coloured Manors
01517-01520	Unscented High Gloss Coloured Pillars	48099	Unscented Coloured Manors
01533-01553	Unscented High Gloss Coloured Pillars	48079	Unscented Coloured Manors
01568-01570	Unscented Pillars	55000-55001	Unscented Coloured Pillars
01571-01572	Unscented Vessels	62220-62221	Unscented Coloured Vessels
01573-01587	Unscented High Gloss Coloured Pillars	72000	Cartridge Candles
01588-01592	Unscented High Gloss Coloured Spheres	85000	Unscented Tealights (Fred Myer)
01676	Memorial Glass, Tall	80700-80711	Unscented Coloured Formals
02500-02547	Unscented High Gloss Coloured Pillars	82000-82001	Unscented Coloured Formals
02548-02563	Unscented High Gloss Coloured Spheres	91200-91299	Unscented Coloured Votives
08765	Emergency 5" Candles	12002-120099	Unscented Coloured Floaters
10100-10101	Unscented Coloured Formals	120100-120199	Unscented Coloured Floaters
10106	Unscented Coloured Formals	120300-120399	Unscented Coloured Floaters
10124	Unscented Coloured Formals	120400-120499	Unscented Coloured Floaters
10210-10211	Unscented Coloured Votives	222000-222099	Unscented Coloured Floaters
10400-10499	Unscented Coloured Pillars	222100-222199	Unscented Coloured Spheres
10600-10699	Unscented Coloured Pillars	222200-222299	Unscented Coloured Pillars
10800-10899	Unscented Coloured Pillars	222400-222499	Unscented Coloured Pillars
12000-12001	Unscented Coloured Floaters	222600-222699	Unscented Coloured Pillars
12451	Memorial Glass - Small	222800-222899	Unscented Coloured Pillars
12600-12699	Unscented Coloured Floaters	225200-225299	Unscented Coloured Pillars
20801	Unscented Coloured Votives	225400-225499	Unscented Coloured Pillars
21000-21001	Unscented Coloured Votives	225600-225699	Unscented Coloured Pillars
21021	Unscented Coloured Votives	225800-225899	Unscented Coloured Pillars
21060-21061	Unscented Coloured Pillars	281200-281299	Unscented Coloured Spheres
21500-21599	Unscented Coloured Votives	310402-310499	Unscented Coloured Pillars
22520-22521	Unscented Coloured Pillars	310602-310699	Unscented Coloured Pillars
22600-22699	Unscented Coloured Pillars	310802-310899	Unscented Coloured Pillars
23300-23399	Unscented Coloured Floaters	332200-332201	Unscented Coloured Pillars
25000	Unscented Church Candles		
28200-28299	Unscented Coloured Spheres		
28300-28399	Unscented Coloured Spheres		
30800-30899	Unscented Coloured Tapers		
31000-31033	Unscented Coloured Tapers		
31040-31041	Unscented Coloured Pillars		
31060-31061	Unscented Coloured Pillars		
31062-31099	Unscented Coloured Tapers		
31080-31081	Unscented Coloured Pillars		
31098	Unscented Coloured Tapers		
31200-31299	Unscented Coloured Tapers		
31500-31599	Unscented Coloured Tapers		
31800-31899	Unscented Coloured Tapers		
32000-32099	Unscented Coloured Tapers		
32100-32199	Unscented Coloured Floaters		
32200-32299	Unscented Coloured Pillars		
32665	Unscented Coloured Pillars		
32801	Unscented Coloured Pillars		
34200-34201	Unscented Coloured Floaters		
34560-34561	Unscented Coloured Pillars		
38865	Unscented Coloured Pillars		
40899	Unscented Coloured Tapers		
40999	Unscented Coloured Tapers		
41000-41002	Unscented Coloured Manors		