

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



Product: Wax Away® Candle Wax Remover- 31

Revision Date: 21-May-2015

## SECTION 1 – IDENTIFICATION

### Product Identifier

Product Name: Wax Away® Candle Wax Remover

Product Code: 31

### Recommended Use of the Chemical and Restrictions for Use

Recommended Use: Wax remover.

Restrictions for Use: Use only as directed.

### Details of the Supplier

Manufacturer: Weiman Products  
755 Tri-State Parkway  
Gurnee, IL 60031  
847-263-3500

### Emergency Phone Number

24-Hour Number: 1-800-535-5053

International: 1-352-323-3500

## SECTION 2 – HAZARDS IDENTIFICATION

### Classification

Hazard Class	Category
Flammable liquid	3
Aspiration toxicant	1

### Label Elements

#### Hazard Symbols(s):



Signal Word(s): Danger

Hazard Statement(s): Flammable liquid and vapor. May be fatal if swallowed and enters airways.

Precautionary Statement(s): Keep away from heat/sparks/open flames/hot surfaces. –No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye/face protection. If swallowed: Immediately call a POISON CENTER or doctor/physician. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. In case of fire: Use water fog, foam, dry chemical or carbon dioxide (CO<sub>2</sub>) to extinguish. Store in well-ventilated place. Keep cool. Store locked up. Dispose of contents and container in accordance with local, national, and international regulations.

### Other Hazards

None

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Wt %
Naphtha (petroleum), hydrotreated heavy	64742-48-9	60 - 100

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

## SECTION 4 – FIRST AID MEASURES

### First Aid Measures

**Inhalation:** Remove from further exposure. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Wax Away® Candle Wax Remover- 31

**Revision Date:** 21-May-2015

medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation.

**Eye Contact:** Flush thoroughly with water. If irritation occurs, get medical assistance.

**Ingestion:** Seek immediate medical attention. Do not induce vomiting.

**Skin:** Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse.

## **Most Important Symptoms and Effects (Acute and Delayed)**

**Inhalation:** May cause respiratory tract irritation.

**Eye Contact:** May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

**Ingestion:** May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

**Skin:** May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.

## **Indication of any Immediate Medical Attention and Special Treatment Needed**

**Note to Physician:** Treat symptomatically.

## **SECTION 5 – FIRE FIGHTING MEASURES**

### **Extinguishing Media**

**Suitable:** Use water fog, foam, dry chemical or carbon dioxide (CO<sub>2</sub>) to extinguish flames.

**Unsuitable:** Straight streams of water.

### **Specific Hazards Arising from Chemical**

Products of combustion include but are not limited to: oxides of carbon, smoke, and fume.

### **Protective Equipment and Precautions for Firefighters**

Evacuate area. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. Firefighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.

Vapors are flammable and heavier than air. Vapors may travel across the ground and reach remote ignition sources causing a flashback fire danger. Hazardous material. Firefighters should consider protective equipment recommended in Section 8.

## **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment, and Emergency Procedures**

**Personal Precautions:** Use personal protection recommended in Section 8.

**Environmental Precautions:** See Section 12 for ecological information.

### **Methods and Material for Containment and Cleaning Up**

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do it without risk. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Prevent entry into waterways, sewer, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Use clean non-sparking tools to collect absorbed material. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Large Spills: Water spray may reduce vapor; but may not prevent ignition in closed spaces. Recover by pumping or with suitable absorbent.

## **SECTION 7 – HANDLING AND STORAGE**

### **Precautions for Safe Handling**

**Handling:** Avoid contact with skin. Prevent small spills and leakage to avoid slip hazard. Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or ground procedures. However, bonding and grounds may not eliminate the hazard from static accumulation. Consult local applicable standards for guidance.

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Wax Away® Candle Wax Remover- 31

**Revision Date:** 21-May-2015

**General Hygiene Advice:** Launder contaminated clothing before use. Wash hands before eating, drinking, or smoking.

## Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** The container choice, for example storage vessel, may effect static accumulation and dissipation. Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area. Storage containers should be grounded and bonded. Fixed storage containers, transfer containers and associated equipment should be grounded and bonded to prevent accumulation of static charge. Keep out of the reach of children.

**Incompatible Materials:** Strong oxidizers.

## SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

#### **Exposure Guidelines:**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Naphtha (petroleum), hydrotreated heavy (64742-48-9)	Not available	100 ppm	Not available

### Appropriate Engineering Controls

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Control measures to consider: Adequate ventilation should be provided so that exposure limits are not exceeded. Use explosion-proof ventilation equipment.

### Individual Protection Measures

**Respiratory Protection:** In case of insufficient ventilation use appropriate respiratory protection. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable.

**Skin and Body Protection:** Use suitable protective clothing.

**Eye/Face Protection:** Safety glasses with shields are recommended.

**General Work/Hygienic Practices:** Handle in accordance with good industrial hygiene and safety practice.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear liquid

**Odor:** Sassafras

**Odor threshold:** Not determined

**pH:** Not determined

**Melting point/freezing point:** Not determined

**Initial boiling point and boiling range:** Not determined

**Flash point:** 51.7°C (125°F) TCC

**Evaporation rate:** Not determined

**Flammability (solid, gas):** Not determined

**Upper/lower flammability or explosive limits:** Not determined

**Vapor pressure:** Not determined

**Vapor density:** Not determined

**Relative density:** 0.76

**Solubility(ies):** Not determined

**Partition coefficient (n-octanol/water):** Not determined

**Auto-ignition temperature:** Not determined

**Decomposition temperature:** Not determined

**Viscosity:** Not determined

## SECTION 10 – STABILITY AND REACTIVITY

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Wax Away® Candle Wax Remover- 31

**Revision Date:** 21-May-2015

**Reactivity:** Not reactive under normal conditions.

**Chemical stability:** Stable under recommended storage conditions.

**Possibility of hazardous reactions:** None under normal use.

**Conditions to avoid:** Avoid heat, sparks, open flames and other ignition sources.

**Incompatible materials:** Strong oxidizers.

**Hazardous decomposition products:** Material does not decompose at ambient temperature.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

**Likely Routes of Exposure:** Inhalation, skin contact, eye contact, ingestion

### Information Related to Physical, Chemical, and Toxicological Effects

See section 4 of this SDS.

### Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

**Carcinogenicity:** NTP: No IARC: No OSHA: No

### Numerical Measures of Toxicity

Product	
ATE (oral)	>5000 mg/kg, rat
ATE (dermal)	>5000 mg/kg, rabbit
ATE (inhalation)	>5000 mg/m <sup>3</sup> /8h

### **Component Information:**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Naphtha (petroleum), hydrotreated heavy (64742-48-9)	> 5000 mg/kg (rat)	> 5000 mg/kg (rabbit)	>5000 mg/m <sup>3</sup> /8h (rat)

## SECTION 12 - ECOLOGICAL INFORMATION

**Ecotoxicity:** Not established

**Persistence and degradability:** Not established

**Bioaccumulative potential:** Not established

**Mobility in soil:** No additional information available

**Other adverse effects:** No additional information available.

## SECTION 13 – DISPOSAL CONSIDERATIONS

See section 8 of this SDS for exposure controls and personal protection.

Dispose of the product and container in accordance with all applicable local, state, and federal regulations.

## SECTION 14 – TRANSPORT INFORMATION

**Note:** Classification changes based on quantity, packaging, and method of shipment. See current shipping paper for most up to date shipping information.

UN1268, Petroleum Distillates, n.o.s., 3, PG III

**DOT (Ground):** Not regulated. See 49 CFR 173.150(f)(2).

**IATA (Air):** Limited quantity

**IMDG (Vessel):** Limited quantity

## SECTION 15 – REGULATORY INFORMATION

All ingredients in this product are listed or are excluded from listing on the US Toxic Substances Act (TSCA) Chemical Substance Inventory.

# SAFETY DATA SHEET

Confirms to OSHA Hazard Communication Standard (CFR 29 1910.1200) HazCom 2012



**Product:** Wax Away® Candle Wax Remover- 31

**Revision Date:** 21-May-2015

## SECTION 16 – OTHER INFORMATION

**Issue Date:** 21-May-2015

**Revision Date:** 21-May-2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**